

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Thomas STADLMAYR et al.

Appl. No. : 10/572,356

Certificate of Corrections Branch

Filed : March 16, 2006

Confirmation No. : 1141

U.S. Patent No.: 7,721,773 B2

Issued : May 25, 2010

For : **METHOD AND DEVICE FOR PRODUCTION AND
BOTTLING OF LIQUIDS ENRICHED WITH OXYGEN**

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window,
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent. The error is the fault of the Applicants as per the attached Certificate of Correction. The \$100.00 Fee for submitting the Request for COC is being submitted herewith.


On the cover page of the printed patent, in (73) On the cover page of the printed patent, at Item (73), Assignees, **Adelholzener Alpenquellen GmbH**, Siegsdorf (DE); **Krones Aktiengesellschaft**, Neutraubling (DE) should be --- **Krones Aktiengesellschaft**, Neutraubling (DE)---. This appears correctly in the Assignment filed on April 13, 2010, which was recorded on April 13, 2010 at Reel 024223, Frame 0666.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

On the cover page of the printed patent, in (73) On the cover page of the printed patent, at Item (73), Assignees, **Adelholzener Alpenquellen GmbH**, Siegsdorf (DE); **Krones Aktiengesellschaft**, Neutraubling (DE) should be --- **Krones Aktiengesellschaft**, Neutraubling (DE)---

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully Submitted,
Thomas STADLMAYR et al.



Neil F. Greenblum
Reg. No. 28394

Robert W. Mueller
Reg. No. 35,043

June 10, 2010
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,721,773 B2

APPLICATION NO.: 10/572,356

ISSUE DATE : May 25, 2010

INVENTOR(S): Thomas Stadlmays et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page of the printed patent, at Item (73), Assignees,
**Adelholzener Alpenquellen GmbH, Siegsdorf (DE); Kronos
Aktiengesellschaft, Neutraubling (DE)** should be --- **Kronos
Aktiengesellschaft, Neutraubling (DE)**---

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.